



CN1 PinOut	
1	NC
2	NC
3	NC
4	NC
5	NC
6	Dummy
7	Y00
8	Y01
9	Y02
10	Y03
11	Y04
12	Y05
13	Y06
14	Y07
15	Y08
16	Y09
17	Y10
18	Y11
19	Y12
20	Y13
21	Y14
22	Y15
23	Y16
24	Dummy

CN2 PinOut	
1	Dummy
2	X00
3	X01
4	X02
5	X03
6	X04
7	X05
8	X06
9	X07
10	X08
11	X09
12	X10
13	X11
14	X12
15	X13
16	X14
17	X15
18	X16
19	X17
20	X18
21	X19
22	X20
23	X21
24	X22
25	X23
26	X24
27	X25
28	X26
29	X27
30	Dummy

REMARKS	
TAIL PATTERN PITCH	0.5mm
TAIL PATTERN WIDTH	Cu 0.2mm-0.3mm
	- mm
CIRCUIT PATTERN WIDTH	Ag 0.1mm
	- mm
O RED: TOP CIRCUIT, GREEN: BOTTOM CIRCUIT.	
O PURPLE: TOP CIRCUIT, LIGHT BLUE: BOTTOM CIRCUIT.	
O TOLERANCE=0.3mm EXCEPT WHERE INDICATED.	

ITEM	MATERIAL	REMARKS
1 TOP ITO GLASS	t=1.1mm	IM Glass
2 BOTTOM ITO GLASS	t=1.1mm	IM Glass
3 FPC	POLYIMIDE 25μm	COPPER 18μm+ NICKEL PLATION 3μm GILDING 0.1μm
4 REINFORCEMENT FILM	POLYESTER 25μm	
5 STIFFENER	POLYESTER 188μm	
6 ADHESIVE SHEET	150μm	
7 PROTECTION TAPE	POLYESTER 25μm	

ULTRATRONIK
www.ultratronic-distribution.de

CUSTOMER APPROVAL

DATE: / /

PART No.		APPROVED	CHECKED	CHECKED	TRACED	DESIGNED
DUS-U070SA60A		Nov.27.14			Nov.27.14	
		HIRATA			MIYAMOTO	MIYAMOTO
TYPE		Project Capacitive Touch Screen				
CIRCUIT DRAWING		DMC Co., Ltd.				
Nov.27.14	FIRST EDITION	MIYAMOTO				
DATE	REVISION	NAME				