


CN1 PinOut		CN2 PinOut	
1	NC	1	Dummy
2	NC	2	X00
3	NC	3	X01
4	NC	4	X02
5	NC	5	X03
6	NC	6	X04
7	NC	7	X05
8	NC	8	X06
9	Dummy	9	X07
10	Y00	10	X08
11	Y01	11	X09
12	Y02	12	X10
13	Y03	13	X11
14	Y04	14	X12
15	Y05	15	X13
16	Y06	16	X14
17	Y07	17	X15
18	Y08	18	X16
19	Y09	19	X17
20	Y10	20	X18
21	Y11	21	X19
22	Y12	22	X20
23	Y13	23	X21
24	Y14	24	X22
25	Y15	25	X23
26	Y16	26	X24
27	Y17	27	X25
28	Y18	28	X26
29	Y19	29	X27
30	Y20	30	X28
31	Y21	31	X29
32	Y22	32	X30
33	Y23	33	X31
34	Y24	34	X32
35	Y25	35	X33
36	Y26	36	X34
37	Y27	37	X35
38	Y28	38	X36
39	Y29	39	X37
40	Y30	40	X38
41	Y31	41	X39
42	Y32	42	X40
43	Y33	43	X41
44	Y34	44	X42
45	Y35	45	X43
46	Y36	46	X44
47	Y37	47	X45
48	Y38	48	X46
49	Y39	49	X47
50	Y40	50	X48
51	Y41	51	X49
52	Y42	52	X50
53	Y43	53	X51
54	Y44	54	X52
55	Dummy	55	X53
		56	X54
		57	X55
		58	X56
		59	X57
		60	X58
		61	X59
		62	X60
		63	X61
		64	X62
		65	X63
		66	X64
		67	X65
		68	X66
		69	X67
		70	X68
		71	X69
		72	X70
		73	X71
		74	X72
		75	X73
		76	Dummy
		77	NC
		78	NC
		79	NC
		80	NC



REMARKS	
TAIL PATTERN PITCH	0.5mm
TAIL PATTERN WIDTH	Cu 0.2mm-0.3mm
	- mm
CIRCUIT PATTERN WIDTH	Ag 0.1mm
	- mm
ORED: TOP CIRCUIT, GREEN: BOTTOM CIRCUIT. OPURPLE: TOP CIRCUIT, LIGHT BLUE: BOTTOM CIRCUIT. OTOLERANCE:0.3mm EXCEPT WHERE INDICATED.	

ITEM	MATERIAL	REMARKS
1	TOP ITO GLASS	t=1.1mm
2	BOTTOM ITO GLASS	t=1.1mm
3	FPC	POLYIMIDE 25μm COPPER 18μm NICKEL PLATION 3μm SOLDER 8.1μm
4	REINFORCEMENT FILM	POLYESTER 25μm
5	STIFFENER	POLYESTER 188μm
6	ADHESIVE SHEET	150μm
7	PROTECTION TAPE	POLYESTER 25μm

ULTRATRONIK
www.ultratronik-distribution.de

CUSTOMER APPROVAL

DATE: / /

PART No.		APPROVED	CHECKED	CHECKED	TRACED	DESIGNED
DUS-190WC060A		May/19/15	FUJITA		May/19/15	HIRATA
TYPE						
May/19/15	FIRST EDITION	HIRATA	Project Capacitive Touch Screen		DMC Co., Ltd.	
DATE	REVISION	NAME	CIRCUIT DRAWING			