



CN1 PinOut		CN2 PinOut	
1	NC	1	Dummy
2	NC	2	X00
3	NC	3	X01
4	NC	4	X02
5	NC	5	X03
6	NC	6	X04
7	NC	7	X05
8	NC	8	X06
9	NC	9	X07
10	NC	10	X08
11	NC	11	X09
12	NC	12	X10
13	Dummy	13	X11
14	Y00	14	X12
15	Y01	15	X13
16	Y02	16	X14
17	Y03	17	X15
18	Y04	18	X16
19	Y05	19	X17
20	Y06	20	X18
21	Y07	21	X19
22	Y08	22	X20
23	Y09	23	X21
24	Y10	24	X22
25	Y11	25	X23
26	Y12	26	X24
27	Y13	27	X25
28	Y14	28	X26
29	Y15	29	X27
30	Y16	30	X28
31	Y17	31	X29
32	Y18	32	X30
33	Y19	33	X31
34	Y20	34	X32
35	Y21	35	X33
36	Y22	36	X34
37	Y23	37	X35
38	Y24	38	X36
39	Y25	39	X37
40	Y26	40	X38
41	Y27	41	X39
42	Dummy	42	X40
		43	X41
		44	X42
		45	X43
		46	Dummy
		47	NC
		48	NC
		49	NC
		50	NC
		51	NC
		52	NC
		53	NC
		54	NC

REMARKS	
TAIL PATTERN PITCH	0.5mm
TAIL PATTERN WIDTH	Cu 0.2mm-0.3mm
	- mm
CIRCUIT PATTERN WIDTH	Ag 0.1mm
	- mm
O RED: TOP CIRCUIT, GREEN: BOTTOM CIRCUIT.	
O PURPLE: TOP CIRCUIT, LIGHT BLUE: BOTTOM CIRCUIT.	
O TOLERANCE=0.3mm EXCEPT WHERE INDICATED.	

ITEM	MATERIAL	REMARKS
1 TOP ITO GLASS	t=1.1mm	IM Glass
2 BOTTOM ITO GLASS	t=1.1mm	IM Glass
3 FPC	POLYIMIDE 25μm	COPPER 18μm + NICKEL PLATIGN 3μm GILDING 0.1μm
4 REINFORCEMENT FILM	POLYESTER 25μm	
5 STIFFENER	POLYESTER 188μm	
6 ADHESIVE SHEET	150μm	
7 PROTECTION TAPE	POLYESTER 25μm	
8 ADHESIVE SHEET A	150μm	
9 COVER GLASS	t=1.8mm	Chemical glass / Black printing / Chemical strengthening

**ULTRATRONIK**  
www.ultratronik-distribution.de

CUSTOMER APPROVAL

DATE: / /

PART No.		APPROVED	CHECKED	CHECKED	TRACED	DESIGNED
DUS-L121SA060A		Nov.25.14	Nov.25.14	Nov.25.14	Nov.25.14	Nov.25.14
TYPE		HRATA	MIYAMOTO	INOUE	INOUE	INOUE
REVISION		NOV/25/14	NOV/25/14	NOV/25/14	NOV/25/14	NOV/25/14
DATE		NOV/25/14	NOV/25/14	NOV/25/14	NOV/25/14	NOV/25/14
NAME		INOUE	INOUE	INOUE	INOUE	INOUE
CIRCUIT DRAWING		Project Capacitive Touch Screen		DMC Co., Ltd.		